



Brand of NTN Group

SAFETY DATA SHEET

Product : **LUB VIB**
Code : C32001-NTN Version : 1.5 Revision : 05-November-2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture LUB VIB

Registration number -

Synonyms None.

Product code C32001-NTN

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Lubricant grease

Uses advised against Not available.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name NTN EUROPE
Address 1, rue des Usines
BP 2017
74000 ANNECY
FR

Division

Telephone Tel.: +33 (0)4 50 65 30 00
Fax: +33 (0)4 50 65 32 91

e-mail fds@ntn-snr.fr

Contact person Service Laboratoire NTN EUROPE

1.4. Emergency telephone number Emergency Tel. (Office hours) +33 (0)4 50 65 97 55

Emergency Tel. (France) ORFILA (INRS)
+ 33 (0)1 45 42 59 59

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture is not classified as hazardous according to the criteria for classification of the Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.

Signal word None.

Hazard statements The mixture is not classified as hazardous according to the criteria for classification.

Precautionary statements

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.



Brand of NTN Group

SAFETY DATA SHEET

Product : **LUB VIB**
 Code : C32001-NTN Version : 1.5 Revision : 05-November-2024

Supplemental label information EUH208 - Contains Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts. May produce an allergic reaction.
 EUH210 - Safety data sheet available on request.

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Distillates (petroleum), hydrotreated heavy paraffinic	20 - < 30	64742-54-7* 265-157-1	01-2119484627-25-XXXX	649-467-00-8	
Classification: Asp. Tox. 1;H304					
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts	1 - < 3	85940-28-9 288-917-4	01-2119521201-61-XXXX	-	
Classification: Skin Irrit. 2;H315, Eye Irrit. 2;H319, Aquatic Chronic 2;H411					
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	< 1	1471316-72-9 939-603-7	01-2119978241-36-XXXX	-	
Classification: Skin Sens. 1B;H317					

List of abbreviations and symbols that may be used above

CLP: Regulation No. 1272/2008. "-" = Not available or this substance does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.
 ATE: Acute toxicity estimate.
 M: M-factor
 vPvB: very persistent and very bioaccumulative substance.
 PBT: persistent, bioaccumulative and toxic substance.
 #: This substance has been assigned Union workplace exposure limit(s).
 All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments Occupational Exposure Limits for constituents are listed in Section 8. The full text for all H-statements is displayed in section 16.

- Contains : Mineral oil. DMSO Extract < 3% according to IP 346 Method.
 (*) Paraffinic mineral oil can be described by one of the following CAS numbers: 64741-88-4; 64741-89-5; 64742-54-7; 64742-55-8; 64742-56-9; 64742-65-0; 64742-62-7; 72623-86-0; 72623-87-1; 101316-69-2; 101316-72-7

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

4.1. Description of first aid measures

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact Rinse with water. Get medical attention if irritation develops and persists.
Ingestion Rinse mouth thoroughly. If swallowed, do NOT induce vomiting. Get medical attention if symptoms occur.



Brand of NTN Group

SAFETY DATA SHEET

Product : **LUB VIB**
Code : C32001-NTN Version : 1.5 Revision : 05-November-2024

4.2. Most important symptoms and effects, both acute and delayed Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards Will burn if involved in a fire. No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing media Foam. Dry chemicals. Carbon dioxide (CO₂). Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture See also section 10.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures In case of fire and/or explosion do not breathe fumes. Cool containers exposed to heat with water spray and remove container, if no risk is involved.

Specific methods In the event of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Wear appropriate personal protective equipment.

For emergency responders Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

6.2. Environmental precautions Local authorities should be advised if significant spillages cannot be contained. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. The product is insoluble in water.

6.4. Reference to other sections For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling To avoid thermal decomposition, do not overheat. Avoid prolonged or repeated contact with skin. Wash hands after handling. Handle in accordance with good industrial hygiene and safety practices. Adequate ventilation should be provided so that exposure limits are not exceeded.

7.2. Conditions for safe storage, including any incompatibilities Keep away from heat and sources of ignition. Store in closed original container in a dry place. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



Brand of NTN Group

SAFETY DATA SHEET

Product :

LUB VIB

Code : C32001-NTN

Version : 1.5

Revision : 05-November-2024

Occupational exposure limits

Bulgaria. OELs. Ordinance No 13 on protection of workers against risks of exposure to chemical agents at work, as amended

Components	Type	Value
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m ³
Distillates (petroleum), hydrotreated heavy paraffinic	TWA	5 mg/m ³

Additional components	Type	Value
OIL MIST, MINERAL (CAS SEQ100910)	TWA	5 mg/m ³

Denmark. Work Environment Authority. Exposure Limits for Substances & Materials, Annex 2

Components	Type	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	2 mg/m ³	Mist.
	TLV	1 mg/m ³	Mist.
Distillates (petroleum), hydrotreated heavy paraffinic	STEL	2 mg/m ³	Mist.
	TLV	1 mg/m ³	Mist.

Additional components	Type	Value	Form
OIL MIST, MINERAL (CAS SEQ100910)	STEL	2 mg/m ³	Mist.
	TLV	1 mg/m ³	Mist.

Finland. HTP-arvot, App 3., Binding Limit Values, Social Affairs and Ministry of Health

Components	Type	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m ³	Mist.
	TWA	5 mg/m ³	Mist.

Additional components	Type	Value	Form
OIL MIST, MINERAL (CAS SEQ100910)	TWA	5 mg/m ³	Mist.



Brand of NTN Group

SAFETY DATA SHEET

Product :

LUB VIB

Code : C32001-NTN

Version : 1.5

Revision : 05-November-2024

Iceland. OELs. Regulation 390/2009 on Pollution Limits and Measures to Reduce Pollution at the Workplace, as amended

Components	Type	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	1 mg/m3	Mist.
Distillates (petroleum), hydrotreated heavy paraffinic	TWA	1 mg/m3	Mist.
Additional components	Type	Value	Form
OIL MIST, MINERAL (CAS SEQ100910)	TWA	1 mg/m3	Mist.

Ireland. OELVs, Schedules 1 & 2, Code of Practice for Chemical Agents and Carcinogens Regulations

Additional components	Type	Value	Form
OIL MIST, MINERAL (CAS SEQ100910)	TWA	5 mg/m3	Inhalable fraction.

Latvia. OELs. Occupational Exposure Limits of Chemical Substances at Workplace (Reg. No. 325/ 2007, L.V. 80, Annex 1), as amended

Components	Type	Value
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3
Distillates (petroleum), hydrotreated heavy paraffinic	TWA	5 mg/m3
Additional components	Type	Value
OIL MIST, MINERAL (CAS SEQ100910)	TWA	5 mg/m3

Lithuania. OELs. Occupational Exposure Limit Values for Chemical Substances (Hygiene Norm HN 23:2011; Order No. V-824/A1-389), as amended

Components	Type	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
Distillates (petroleum), hydrotreated heavy paraffinic	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
Additional components	Type	Value	Form
OIL MIST, MINERAL (CAS SEQ100910)	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.



Brand of NTN Group

SAFETY DATA SHEET

Product :

LUB VIB

Code : C32001-NTN

Version : 1.5

Revision : 05-November-2024

Romania. OELs. Limit Values of Chemical Agents at Workplace (Regulation 1.218/2006, M.O 845, Annex 1, 3&4, as amended)

Components	Type	Value
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3
	TWA	5 mg/m3
Distillates (petroleum), hydrotreated heavy paraffinic	STEL	10 mg/m3
	TWA	5 mg/m3
Additional components	Type	Value
OIL MIST, MINERAL (CAS SEQ100910)	STEL	10 mg/m3
	TWA	5 mg/m3

Slovakia. OELs. Maximum permissible exposure limits for chemical factors in workplace air (Regulation No 355/2006, Annex 1, Table 1, as amended)

Components	Type	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Fume and mist.
	TWA	15 ppm	Fume and mist.
1 mg/m3		Fume and mist.	
5 ppm		Fume and mist.	
Distillates (petroleum), hydrotreated heavy paraffinic	STEL	3 mg/m3	Fume and mist.
	TWA	15 ppm	Fume and mist.
1 mg/m3		Fume and mist.	
5 ppm		Fume and mist.	
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts (CAS 85940-28-9)	TWA	2 mg/m3	Inhalable fraction.
		0,1 mg/m3	Respirable fraction.
Additional components	Type	Value	Form
OIL MIST, MINERAL (CAS SEQ100910)	STEL	3 mg/m3	Fume and mist.
	TWA	15 ppm	Fume and mist.
		1 mg/m3	Fume and mist.
		5 ppm	Fume and mist.

Biological limit values

No biological exposure limits noted for the ingredient(s).



Brand of NTN Group

SAFETY DATA SHEET

Product : **LUB VIB**
 Code : C32001-NTN Version : 1.5 Revision : 05-November-2024

Recommended monitoring procedures

Additional exposure data Occupational Exposure Limits are not relevant to the current physical form of the product.

Recommended monitoring procedures Follow standard monitoring procedures.

Derived no effect levels (DNELs)

General population

Components	Value	Assessment factor	Notes
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts (CAS 1471316-72-9)			
Long-term, Systemic, Dermal	12,5 mg/kg	200	Repeated dose toxicity
Long-term, Systemic, Inhalation	8,7 mg/m ³	50	Repeated dose toxicity
Long-term, Systemic, Oral	2,5 mg/kg	200	Repeated dose toxicity

Workers

Components	Value	Assessment factor	Notes
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts (CAS 1471316-72-9)			
Long-term, Systemic, Dermal	25 mg/kg	100	Repeated dose toxicity
Long-term, Systemic, Inhalation	35,26 mg/m ³	25	Repeated dose toxicity

Predicted no effect concentrations (PNECs)

Components	Value	Assessment factor	Notes
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts (CAS 1471316-72-9)			
Freshwater	0,1 mg/l	1000	
Marine water	0,1 mg/l	1000	
Sediment (freshwater)	45211 mg/kg		
Sediment (marine water)	45211 mg/kg		
Soil	36739,74 mg/kg		
STP	1000 mg/l	10	

Exposure guidelines Occupational Exposure Limits are not relevant to the current physical form of the product.

8.2. Exposure controls

Appropriate engineering controls Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection Chemical goggles are recommended.

Skin protection

- **Hand protection** Use protective gloves made of: Nitrile. Polyvinyl chloride (PVC).

- **Other** Normal work clothing (long sleeved shirts and long pants) is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Wash hands after handling. Handle in accordance with good industrial hygiene and safety practices.

Environmental exposure controls Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid.



Brand of NTN Group

SAFETY DATA SHEET

Product : **LUB VIB**
Code : C32001-NTN Version : 1.5 Revision : 05-November-2024

Form Solid. Paste.
Colour Blonde.
Odour Mild.
Melting point/freezing point Not available.
Boiling point or initial boiling point and boiling range Not available.
Flammability Not available.
Upper/lower flammability or explosive limits
Explosive limit - lower (%) Not available.
Explosive limit – upper (%) Not available.
Flash point >200,0 °C (>392,0 °F) Cleveland open cup Base oil
Auto-ignition temperature >250 °C (>482 °F)
Decomposition temperature Not available.
pH Not applicable.
Kinematic viscosity Not available.
Solubility
Solubility (water) Insoluble
Partition coefficient (n-octanol/water) (log value) Not available.
Vapour pressure Not available.
Density and/or relative density
Relative density 0,9
Relative density temperature 20 °C (68 °F)
Vapour density Not available.
Particle characteristics Not available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes No relevant additional information available.

9.2.2. Other safety characteristics

Dropping point 190 °C (374 °F)
Explosive properties Not available.
Viscosity Not applicable.

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability Material is stable under normal conditions.
10.3. Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials. Eliminate all sources of ignition.
10.5. Incompatible materials Strong oxidising agents.



Brand of NTN Group

SAFETY DATA SHEET

Product : **LUB VIB**
 Code : C32001-NTN Version : 1.5 Revision : 05-November-2024

10.6. Hazardous decomposition products Carbon oxides. Sulphur compounds.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Elevated temperatures or mechanical action may form vapours, mist, or fumes which may be irritating to the eyes, nose, throat, or lungs.
 Ingestion of large amounts may produce gastrointestinal disturbances including irritation, nausea, and diarrhoea.

Components	Species	Test Results
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts (CAS 1471316-72-9)		
Acute		
Dermal		
LD50	Rabbit	> 5000 mg/kg
Oral		
LD50	Rat	> 5000 mg/kg
Distillates (petroleum), hydrotreated heavy paraffinic		
Acute		
Dermal		
LD50	Rat	> 5000 mg/kg
Oral		
LD50	Rat	> 5000 mg/kg
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts (CAS 85940-28-9)		
Acute		
Oral		
LD50	Rat	3080 mg/kg
Skin corrosion/irritation	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.	
Serious eye damage/eye irritation	Not classified.	
Respiratory sensitisation	Not classified.	
Skin sensitisation	Not classified.	
Germ cell mutagenicity	Not classified.	
Carcinogenicity	Not classified.	
Reproductive toxicity	Not classified.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Based on available data, the classification criteria are not met.	
Mixture versus substance information	No information available.	



Brand of NTN Group

SAFETY DATA SHEET

Product :

LUB VIB

Code : C32001-NTN

Version : 1.5

Revision : 05-November-2024

11.2. Information on other hazards

Endocrine disrupting properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

Other information

Not available.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met for hazardous to the aquatic environment.

12.2. Persistence and degradability

(calculated) Water hazard class (WGK) [Germany] : 1.

12.3. Bioaccumulative potential

No data available.

Partition coefficient n-octanol/water (log Kow)

Not available.

Bioconcentration factor (BCF)

Not available.

12.4. Mobility in soil

No data available.

Mobility in general

The product is immiscible with water and will spread on the water surface.

12.5. Results of PBT and vPvB assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

12.8. Additional information

Estonia Dangerous substances in soil Data

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts (CAS 85940-28-9)	Zinc (Zn) 1000 mg/kg
	Zinc (Zn) 200 mg/kg
	Zinc (Zn) 500 mg/kg

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

EU waste code

Waste codes should be assigned by the user based on the application for which the product was used. Unused product : 16 03 06

Disposal methods/information

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not discharge into drains, water courses or onto the ground.

Special precautions

Dispose in accordance with all applicable regulations.



Brand of NTN Group

SAFETY DATA SHEET

Product :

LUB VIB

Code : C32001-NTN

Version : 1.5

Revision : 05-November-2024

SECTION 14: Transport information

ADR

- 14.1. UN number** Not regulated as dangerous goods.
14.2. UN proper shipping name Not regulated as dangerous goods.
14.3. Transport hazard class(es)
Class Not assigned.
Subsidiary hazard -
Hazard No. (ADR) Not assigned.
Tunnel restriction code Not assigned.
14.4. Packing group -
14.5. Environmental hazards No.
14.6. Special precautions for user Not assigned.

IATA

- 14.1. UN number** Not regulated as dangerous goods.
14.2. UN proper shipping name Not regulated as dangerous goods.
14.3. Transport hazard class(es)
Class Not assigned.
Subsidiary hazard -
14.4. Packing group -
14.5. Environmental hazards No.
14.6. Special precautions for user Not assigned.

IMDG

- 14.1. UN number** Not regulated as dangerous goods.
14.2. UN proper shipping name Not regulated as dangerous goods.
14.3. Transport hazard class(es)
Class Not assigned.
Subsidiary hazard -
14.4. Packing group -
14.5. Environmental hazards
Marine pollutant No.
EmS Not assigned.
14.6. Special precautions for user Not assigned.
14.7. Maritime transport in bulk according to IMO instruments Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

- Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended**
Not listed.



Brand of NTN Group

SAFETY DATA SHEET

Product :

LUB VIB

Code : C32001-NTN

Version : 1.5

Revision : 05-November-2024

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts (CAS 85940-28-9)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7*)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex I, as amended

Not listed.

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex II, as amended

Not listed.

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.



Brand of NTN Group

SAFETY DATA SHEET

Product :

LUB VIB

Code : C32001-NTN

Version : 1.5

Revision : 05-November-2024

IMDG: International Maritime Dangerous Goods.
MAC: Maximum Allowed Concentration.
MARPOL: International Convention for the Prevention of Pollution from Ships.
PBT: Persistent, bioaccumulative and toxic.
RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.
STEL: Short term exposure limit.
TLV: Threshold Limit Value.
TWA: Time Weighted Average.
VLE: Exposure Limit Value.
VME: Exposure Average Value.
vPvB: Very persistent and very bioaccumulative.
Not available.

References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculator methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H411 Toxic to aquatic life with long lasting effects.

Revision information

None.

Training information

Follow training instructions when handling this material.

NTN EUROPE cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. This document complements the technical sheets but does not replace them. The information contained herein is based on our knowledge of the concerned product on the date indicated. It is offered in good faith. Furthermore, the regulatory requirements referred to must not be considered as exhaustive. They do not exempt in any form the user from knowing and applying all regulations related to the possession and use of the product. The user takes as their sole responsibility the implementation of precautions relating to storage and their use of the product.

SDS EU 13 / 13