

# SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

# **LOW TEMP**

**SDS #**: 37479

previous revision date : 2022/09/27

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : LOW TEMP

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** 

Lubricating grease

#### 1.3 Details of the supplier of the safety data sheet

**NTN Europe** 

1 rue des usines

74010 ANNECY cedex

France

Tel +33 4 50 65 30 00

#### **Contact**

H.S.E fds@ntn-snr.fr

#### 1.4 Emergency telephone number

### **National advisory body/Poison Center**

**Telephone number** : France - ORFILA (INRS) Tél : +33 (0)1 45 42 59 59

In France - Poison centers: ANGERS: 02 41 48 21 21 BORDEAUX: 05 56 96 40 80 LILLE: 08 00 59 59 59 LYON: 04 72 11 69 11 MARSEILLE: 04 91 75 25 25 NANCY: 03 83 22 50 50

PARIS: 01 40 05 48 48 STRASBOURG: 03 88 37 37 37 TOULOUSE: 05 61 77 74 47

**Supplier** 

Telephone number : Emergency phone (Office hours): +33 (0)4 50 65 99 42

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

**Product definition**: Mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

For more details about adverse physical, human health and environmental effects, see sections 9 to 12.

 Revision:2025/04/18
 Version : 2.01
 France
 ENGLISH
 1/16



**SDS #**: 37479

2.2 Label elements

Signal word : No signal word.

Hazard statements : No hazard statement.

**Precautionary statements** 

Prevention : Not applicable.
Response : Not applicable.
Storage : Not applicable.
Disposal : Not applicable.

Supplemental label

elements

: Safety data sheet available on request.

Labelling element REACh

Annex XVII

: Not applicable.

### 2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII : This mixture does not contain any substances that are assessed to be a PBT or a vPvB in a concentration >= 0,1 %.

This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACh Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU)

2017/2100 or Commission Regulation 2018/605.

Other hazards which do not result in classification

: None known.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures : Mixture

Product/substance	Identifiers	% (w/w)	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
<b>p</b> ec-1-ene, trimers, hydrogenated	REACH #: 01-2119493949-12 EC: 500-393-3 CAS: 157707-86-3	≥75 - ≤90	Asp. Tox. 1, H304	-	[1]
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	REACH#: 01-2119491299-23 EC: 270-128-1 CAS: 68411-46-1	≤1	Repr. 2, H361f	-	[1]
zinc oxide	REACH #: 01-2119463881-32 EC: 215-222-5 CAS: 1314-13-2 Index: 030-013-00-7	≤0.3	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	M [Acute] = 1 M [Chronic] = 1	[1] [2]
			See Section 16 for the full text of the H statements declared above.		

**Additional information**: The product is made from synthetic base oils



SDS#: 37479

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

# **Type**

Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

# SECTION 4: First aid measures

### 4.1 Description of first aid measures

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Get medical attention if symptoms occur.

: Flush contaminated skin with plenty of water. Remove contaminated clothing and Skin contact

shoes. Get medical attention if symptoms occur.

Ingestion Wash out mouth with water. Do not induce vomiting unless directed to do so by

medical personnel. Get medical attention if symptoms occur.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

### 4.2 Most important symptoms and effects, both acute and delayed

Eye contact : No specific data. Inhalation : No specific data. Skin contact : No specific data. Ingestion : No specific data.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

# SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing

: Use dry chemical, CO2, water spray (fog) or foam.

Unsuitable extinguishing

media

media

: Do not use water jet.

### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture : No specific fire or explosion hazard.

**Hazardous combustion** 

products

: carbon monoxide

carbon dioxide nitrogen oxides sulfur oxides Hydrogen sulfide Mercaptans Zinc oxides

Revision:2025/04/18 Version: 2.01 **ENGLISH** France 3/16



**SDS #:** 37479

#### 5.3 Advice for firefighters

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

# **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders:

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and materials for containment and cleaning up

Small spill

: Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Large spill

: Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other

sections

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

**Protective measures** 

: Put on appropriate personal protective equipment (see Section 8). See Section 10 for incompatible materials before handling or use.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.



**SDS #**: 37479

7.3 Specific end use(s)

Recommendations : Not available.

Industrial sector specific : Not available.

solutions

# **SECTION 8: Exposure controls/personal protection**

required.

#### 8.1 Control parameters

### Occupational exposure limits

Product/substance	Exposure limit values
<b>z</b> ínc oxide	Ministry of Labor (France, 6/2024) [zinc (oxyde de)] TWA 8 hours: 10 mg/m³. Form: dust. Notes: Permissible limit values (circulars) TWA 8 hours: 5 mg/m³. Form: fume. Notes: Permissible limit values (circulars)

### **Biological Limit Values (BLV)**

No exposure indices known.

Recommended monitoring procedures

: Reference should be made to monitoring standards, such as the following:
European Standard EN 689 (Workplace atmospheres - Guidance for the
assessment of exposure by inhalation to chemical agents for comparison with limit
values and measurement strategy) European Standard EN 14042 (Workplace
atmospheres - Guide for the application and use of procedures for the assessment
of exposure to chemical and biological agents) European Standard EN 482
(Workplace atmospheres - General requirements for the performance of procedures
for the measurement of chemical agents) Reference to national guidance
documents for methods for the determination of hazardous substances will also be

Advisory OEL : Not available.

# DNELs/DMELs

Product/substance	Result
Senzenamine, N-phenyl-, reaction products	DNEL - General population - Long term - Oral
with 2,4,4-trimethylpentene	0.05 mg/kg bw/day
	Effects: Systemic
	DNEL - General population - Long term - Inhalation
	0.08 mg/m³
	Effects: Systemic
	DNEL - General population - Long term - Dermal
	0.22 mg/kg bw/day
	Effects: Systemic
	DNEL - Workers - Long term - Inhalation
	0.31 mg/m³
	Effects: Systemic
	DNEL - Workers - Long term - Dermal
	0.44 mg/kg bw/day
	Effects: Systemic

# **PNECs**



**SDS #**: 37479

Product/substance	Result	
<b>B</b> enzenamine, N-phenyl-, reaction products	Fresh water	
with 2,4,4-trimethylpentene	33.8 µg/l	
	Marine water	
	3.38 µg/l	
	Fresh water sediment	
	446 μg/kg dwt	
	Marine water sediment	
	44.6 μg/kg dwt	
	Soil	
	1.76 mg/kg dwt	

# 8.2 Exposure controls

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### **Individual protection measures**

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: rase of contact through splashing: safety glasses with side-shields, EN 166.

#### Full text of abbreviated H statements

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Hydrocarbon-proof gloves

nitrile rubber Fluorinated rubber

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

In case of prolonged contact with the product, it is recommended to wear gloves complying with ISO 21420 and EN 374 standards, protecting at least for 480 minutes and having a thickness of 0,38 mm at least. These values are indicative only. The level of protection is provided by the material of the glove, its technical characteristics, its resistance to the chemicals to be handled, the appropriateness of its use and its replacement frequency

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: None under normal use conditions. If these are not sufficient to maintain exposure below the OEL, suitable respiratory protection must be worn (Type A/P1).

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.



**SDS #**: 37479

# **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature (20°C / 68°F) and pressure (1013 hPa) unless otherwise indicated

#### 9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state : Solid. [grease]

Color : White.

Odor : Characteristic.

pH : Not applicable.

Melting point/freezing point : >180°C [ISO 3016]

Initial boiling point and : Not applicable.

boiling range

Flash point : Not applicable.
Flammability : Mon-flammable.
Lower and upper explosion : Not applicable.

limit

Vapor pressure: Not applicable.Vapor density: Not applicable.Relative density: 0.9 [ISO 12185]

**Density** : 0.9 g/cm³ [ISO 12185]

Solubility(ies) :

MediaResultwaterNot soluble

Solubility in water : 0.907 g/l

Miscible with water : No.

Partition coefficient: n-octanol/ : \$\infty\$3.5

water

Auto-ignition temperature : Not applicable.

Decomposition temperature : >180°C

Kinematic (room temperature): Not applicable.

Kinematic (40°C): Not applicable.

**Particle characteristics** 

Median particle size : Not available.

#### 9.2 Other information

No other relevant physical and chemical parameters for the safe use of the product

# **SECTION 10: Stability and reactivity**

**10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.

**10.2 Chemical stability** : Stable under recommended storage and handling conditions (see Section 7).

**10.3 Possibility of** : Under normal conditions of storage and use, hazardous reactions will not occur. hazardous reactions



**SDS #**: 37479

**10.4 Conditions to avoid** : No specific data.

**10.5 Incompatible materials** : **S**trong oxidizing agents

**10.6 Hazardous** : ✓ Inder normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### **Acute toxicity**

Product/substance	Result
pec-1-ene, trimers, hydrogenated	<b>Rat - Oral - LD50</b> >5000 mg/kg OECD 401
	<b>Rat - Dermal - LD50</b> >3000 mg/kg OECD 402
	Rat - Inhalation - LC50 Vapor 1.17 mg/l [4 hours] OECD 403
	Rat - Inhalation - LC50 Vapor 0.9 mg/l [4 hours] OECD 403
	Rat - Inhalation - LC50 Vapor 1.4 mg/l [4 hours] OECD 403
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	Rat - Male, Female - Oral - LD50 >5000 mg/kg OECD 401

### Acute toxicity estimates



Based on available data, the classification criteria are not met.

# Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

### Respiratory corrosion/irritation

Based on available data, the classification criteria are not met.

### Respiratory or skin sensitization

#### Skin

Based on available data, the classification criteria are not met.

# Respiratory



**SDS #:** 37479

Based on available data, the classification criteria are not met.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

### Reproductive toxicity

Based on available data, the classification criteria are not met.

### Specific target organ toxicity (single exposure)

Based on available data, the classification criteria are not met.

### Specific target organ toxicity (repeated exposure)

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Information on the likely routes of exposure

Not available.

### Potential acute health effects

Eye contact
 Inhalation
 Skin contact
 Ingestion
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

# Delayed and immediate effects and also chronic effects from short and long term exposure

#### Potential chronic health effects

General : No known significant effects or critical hazards.

Carcinogenicity : № known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Reproductive toxicity : No known significant effects or critical hazards.

# 11.2 Information on other hazards

### 11.2.1 Endocrine disrupting properties

The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

### 11.2.2 Other information

Not available.



**SDS #:** 37479

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Product/substance	Result
Dec-1-ene, trimers, hydrogenated	Acute - EC50 Algae - Scenedesmus capricornutum OECD 201 >1000 mg/l [72 hours]
	Acute - NOEL Algae - Scenedesmus capricornutum OECD 201 1000 mg/l [72 hours]
	Acute - EC50 Daphnia - Daphnia magna >150 mg/l [48 hours]
	Acute - EC50 Daphnia - Americamysis bahia OECD 202 >5002 ppm [96 hours]
	Acute - NOEL Fish - Oncorhynchus mykiss 1000 mg/l [96 hours]
	Chronic - NOEL Daphnia - Daphnia magna OECD 211 125 mg/l [21 days]
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	Acute - LC50 - Fresh water Fish - Danio rerio OECD 203 >100 mg/l [96 hours] Effect: Mortality
	Acute - EC50 - Fresh water Algae - Desmodesmus subspicatus OECD 201 >100 mg/l [72 hours] Effect: (growth rate)

# 12.2 Persistence and degradability

Product/substance	Result
Senzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	OECD [301B] 1% [28 days]

Product/substance	Aquatic half-life	Photolysis	Biodegradability
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	-	-	Not readily

# 12.3 Bioaccumulative potential



**SDS #**: 37479

Product/substance	LogK <sub>ow</sub>	BCF	Potential
NOW TEMP	>3.5	-	Low
Dec-1-ene, trimers, hydrogenated	>6.5	-	High
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	5.1	1730	High

# 12.4 Mobility in soil

# Soil/Water partition coefficient

Not available.

#### Results of PMT and vPvM assessment

Product/substance	PMT	Р	М	Т	vPvM	vP	vM
Dec-1-ene, trimers, hydrogenated	No	No	No	No	No	No	No
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	No	No	No	Yes	No	No	No

**Mobility** 

: Not available.

Mobility in soil

: Given its physical and chemical characteristics, the product has no soil mobility. The product is insoluble and floats on water. Loss by evaporation is limited

#### 12.5 Results of PBT and vPvB assessment

# **Regulation (EC) No. 1272/2008 [CLP]**

Product/substance	PBT	Р	В	T	vPvB	νP	vB
Dec-1-ene, trimers, hydrogenated	No	No	No	No	No	No	No
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	No	No	No	Yes	No	No	No

Conclusion/Summary Regulation (EC) No. 1272/2008 [CLP] : The product does not meet the criteria to be considered as a PBT or vPvB.

### 12.6 Endocrine disrupting properties

The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

### **Product**

Methods of disposal

: The generation of waste should be avoided or minimized wherever possible.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Should not be released into the environment.



**SDS #**: 37479

Hazardous waste : Yes.

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used. The following Waste Codes are only

suggestions: 12 01 12\*

**Packaging** 

**Methods of disposal** : The generation of waste should be avoided or minimized wherever possible. Waste

packaging should be recycled. Incineration or landfill should only be considered

when recycling is not feasible.

**Special precautions**: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and

runoff and contact with soil, waterways, drains and sewers.

# SECTION 14: Transport information

	ADR/RID	ADN	IMDG	ICAO/IATA			
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.			
14.2 UN proper shipping name	-	-	-	-			
14.3 Transport hazard class(es)	-	-	-	-			
14.4 Packing group	-	-	-	-			
14.5 Environmental hazards	No.	No.	No.	No.			

14.6 Special precautions for

user

: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO

: Not available.

instruments

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

Annex XIV - List of substances subject to authorization

**Annex XIV** 

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

**Labeling** : Not applicable.

Other EU regulations



**SDS #**: 37479

Industrial emissions

(integrated pollution prevention and control) -

Air

Industrial emissions

: Not listed

: Not listed

(integrated pollution prevention and control) -

Water

Explosive precursors : Not applicable.

Ozone depleting substances (EU 2024/590)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

**Persistent Organic Pollutants** 

Not listed.

**Seveso Directive** 

This product is not controlled under the Seveso Directive.

**Identifiers** 

Synthetic oil RG36

Reinforced medical

surveillance

: Decree n ° 2012-135 of January 30, 2012 relating to the organization of

occupational medicine: not applicable

Other regulations : Krt R4412-1 to R4412-57 of the Labor Code relating to the provisions applicable to

dangerous chemical agents.

#### **International regulations**

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

**Montreal Protocol** 

Not listed.

**Stockholm Convention on Persistent Organic Pollutants** 

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

Not listed.

Inventory list

Australia inventory (AIIC) : All components are listed or exempted.

Canada inventory (DSL/NDSL) : All components are listed or exempted.

China inventory (IECSC) : All components are listed or exempted.

Europe inventory (EC) : All components are listed or exempted.



SDS#: 37479

: Japan inventory (CSCL): All components are listed or Japan inventory

exempted.

Japan inventory (ISHL): Not determined. **New Zealand Inventory of Chemicals (NZIoC)** : All components are listed or exempted.

Philippines inventory (PICCS) : All components are listed or exempted. Korea inventory (KECI) : All components are listed or exempted. Taiwan Chemical Substances Inventory (TCSI) : All components are listed or exempted.

Thailand inventory : Not determined. **Turkey inventory** : Not determined.

**United States inventory (TSCA 8b)** : All components are listed or exempted.

Vietnam inventory : Not determined.

The information stated in this section relates solely to the conformity of the chemical product with the countries Inventories. The information used to confirm the inventory status of this product may be based on additional data to the chemical composition shown in Section 3. Other regulations may apply for importation or marketing authorizations.

15.2 Chemical Safety

: Risk management measures and safety conditions of use are included in the **Assessment** relevant sections of the SDS

# **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ACGIH = American Conference of Governmental Industrial Hygienists

ADN = European Provisions concerning the International Carriage of Dangerous

Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of

Dangerous Goods by Road ATE = Acute Toxicity Estimate

B = Bioaccumulative

BCF = Bioconcentration Factor DNEL = Derived No Effect Level DMEL = Derived Minimal Effect Level

DMSO = Dimethyl Sulfoxide

EC50 = Half maximal effective concentration

EL50 = median Effective Loading

EUH statement = CLP-specific Hazard statement

HSE = Health. Safety and Environment IATA = International Air Transport Association IC50 = Half maximal inhibitory concentration IDHL = Immediately dangerous to life or health IMDG = International Maritime Dangerous Goods IMO = International Maritime Organization

LC50 = Median lethal concentration

LD50 = Median lethal dose LL50 = median Lethal Loading

LogKow = logarithm of the octanol/water partition coefficient

M = Mobile

N/A = Not available

NIOSH = National Institute of Occupational Safety and Health

NOAEL = No Observed Adverse Effect Level NOEC No Observed Effect Concentration NOEL = No Observed Effect Level

NOELR = No observed Effect Loading Rate

OECD = Organisation for Economic Co-operation and Development

OEL = Occupational Exposure Limit

P = Persistent

PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration

**ENGLISH** Revision:2025/04/18 Version: 2.01 France 14/16



**SDS #:** 37479

# **SECTION 16: Other information**

POP = Persistent Organic Pollutants

QSAR = Quantitative Structure—Activity Relationship

REL = Recommanded Exposure Limit

RID = The Regulations concerning the International Carriage of Dangerous Goods

by Rail

SGG = Segregation Group

STEL = Short Term Exposure Limit

T = Toxic

TLV = Threshold Limit Value TWA = Time Weight Average vB = Very Bioaccumulative

vM = Very Mobile

VOC = Volatile Organic Compound

vP = Very Persistent

vPvB = Very Persistent and Very Bioaccumulative

vPvM = Very Persistent and Very Mobile

UFI = Unique Formula Identifier

UVCB Substance of unknown or Variable composition, Complex reaction products

or Biological material

# Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

# Full text of abbreviated H statements

May be fatal if swallowed and enters airways.

H361f Suspected of damaging fertility.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

### Full text of classifications [CLP/GHS]

Aquatic Acute 1 AQUATIC HAZARD (ACUTE) - Category 1
Aquatic Chronic 1 AQUATIC HAZARD (LONG-TERM) - Category 1

Asp. Tox. 1 ASPIRATION HAZARD - Category 1
Repr. 2 TOXIC TO REPRODUCTION - Category 2

# Additionnal details on the supplier of the product



**SDS #**: 37479

# **SECTION 16: Other information**



Date of revision: 4/18/2025Date of previous issue: 9/27/2022Version: 2.01

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.